

Contains the
same active as
Select®



WILLOWOOD USA 

CLETHODIM 2EC

HERBICIDE

COTTON, PEANUTS, POTATOES, SOYBEANS, SUGARBEETS, AND SUNFLOWERS

Willowood Clethodim 2EC herbicide controls a wide range of the toughest annual and perennial grasses in soybeans, potatoes, sugarbeets, sunflowers, and many other crops.

Willowood Clethodim 2EC improves the profitability of Roundup Ready® corn-soybean rotations by controlling volunteer Roundup Ready corn.

For specific use instructions see back or refer to Willowood Clethodim 2EC product label.



CROPS	USE RATES PER ACRE ¹	WILLOWOOD COC ¹ RATES PER ACRE	SPECIAL USE INSTRUCTIONS ¹
Cotton PHI-60 days	6 - 16 fl. oz.	1 qt. by ground or 1.0% v/v (but not less than 1 pt./A) by air	Do not graze treated fields or feed treated forage or hay to livestock. The addition of Willowood AMS has shown improved grass control for difficult to control species including quackgrass, Rhizome Johnsongrass, red rice, wild oats, volunteer cereals, and volunteer corn.
Peanuts (includes perennial) PHI-40 days	6 - 16 fl. oz.	1 qt. by ground or 1.0% v/v (but not less than 1 pt./A) by air	The addition of Willowood AMS has shown improved grass control for difficult to control species including quackgrass, Rhizome Johnsongrass, red rice, wild oats, volunteer cereals, and volunteer corn.
Potato PHI-30 days	8 - 16 fl. oz.	1 qt. by ground or 1.0% v/v (but not less than 1 pt./A) by air	The addition of Willowood AMS has shown improved grass control for difficult to control species including quackgrass, Rhizome Johnsongrass, red rice, wild oats, volunteer cereals, and volunteer corn.
Soybean PHI-60 days	4 - 16 fl. oz.	1 qt. by ground or 1.0% v/v (but not less than 1 pt./A) by air	Do not graze treated fields or feed treated forage or hay to livestock. The addition of Willowood AMS has shown improved grass control for difficult to control species including quackgrass, Rhizome Johnsongrass, red rice, wild oats, volunteer cereals, and volunteer corn.
Sugar Beets PHI-40 days	6 - 16 fl. oz.	1 qt. by ground or 1.0% v/v (but not less than 1 pt./A) by air	Refer to appropriate table for reduced rate directions for the control of small annual grasses. The addition of Willowood AMS has shown improved grass control for difficult to control species including quackgrass, Rhizome Johnsongrass, red rice, wild oats, volunteer cereals, and volunteer corn.
Sunflower PHI-70 days	6 - 16 fl. oz.	1 qt. by ground or 1.0% v/v (but not less than 1 pt./A) by air	The addition of Willowood AMS has shown improved grass control for difficult to control species including quackgrass, Rhizome johnsongrass, red rice, wild oats, volunteer cereals, and volunteer corn.

EPA Reg. No. 87290-11
EPA Est. No. 70989-MO-001

ACTIVE INGREDIENTS:

*Clethodim 26.4%

OTHER INGREDIENTS: 73.6%

TOTAL: 100.0%

Contains Petroleum Distillates

*(E)-2-[1[[(3-chloro-2-propenyl)-oxy)imino]propyl]-5-[2-(ethylthio)propyl]-3-hydroxy-2-cyclohexen-1-one

Contains 2.0 lbs. clethodim per gallon.

Protecting the crop, a farmer's most important investment, is our number one goal. That's why only the finest grade of active ingredient is used to produce post patent crop protection chemicals manufactured by Willowood USA.



WILLOWOOD USA 

For more information on Willowood USA products or to find a distributor near you contact us at:

CORPORATE OFFICE:

1600 NW Garden Valley Blvd #120 • Roseburg, OR 97471
541-679-9963 • 877-679-9963 • Fax: 541-679-4650
www.WillowoodUSA.com

¹ALWAYS READ AND FOLLOW LABEL DIRECTIONS