Willowood, LLC

# **SAFETY DATA SHEET**

Willowood Abamectin 0.15LV

### Section 1. Identification

GHS product identifier	: Willowood Abamectin 0.15LV
Chemical name	: Abamectin
Product code	: Not available.
Other means of identification	: Not available.
EPA Registration Number	: 87290-68
EPA Signal Word	: WARNING
Product type	: Liquid.
<u>Relevant identified uses of t</u> Identified uses	the substance or mixture and uses advised against : Insecticide.
Supplier's details	: Willowood, LLC 385 Interlocken Cresent Suite 240, Broomfield, CO 80021 Tel: 877-679-9963 Operations@WillowoodUSA.com
Emergency telephone number (with hours of	: CHEMTREC, U.S.: 1-800-424-9300 International: +1-703-527-3887 24/7 Health Emergencies: Call 800-858-7378 (National Pesticide Information Center)

operation)

### Section 2. Hazards identification

OSHA/HCS status	: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	<ul> <li>ACUTE TOXICITY (oral) - Category 3         <ul> <li>ACUTE TOXICITY (inhalation) - Category 3</li> <li>SKIN CORROSION/IRRITATION - Category 2</li> <li>SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1             <ul></ul></li></ul></li></ul>
<u>GHS label elements</u> Hazard pictograms	

Signal word

: Danger



### Section 2. Hazards identification

Hazard statements	: H301 + H331 - Toxic if swallowed or if inhaled.
	H318 - Causes serious eye damage.
	H315 - Causes skin irritation.
	H361 - Suspected of damaging the unborn child.
	H335 - May cause respiratory irritation.
	H373 - May cause damage to organs through prolonged or repeated exposure. (nervous system)
	H410 - Very toxic to aquatic life with long lasting effects.
Precautionary statements	
Prevention	: P201 - Obtain special instructions before use.
	<ul> <li>P202 - Do not handle until all safety precautions have been read and understood.</li> <li>P280 - Wear protective gloves. Wear eye or face protection. Wear protective clothing.</li> <li>P271 - Use only outdoors or in a well-ventilated area.</li> <li>P273 - Avoid release to the environment.</li> <li>P260 - Do not breathe vapor.</li> </ul>
	P270 - Do not eat, drink or smoke when using this product. P264 - Wash hands thoroughly after handling.
Response	<ul> <li>P391 - Collect spillage.</li> <li>P314 - Get medical attention if you feel unwell.</li> <li>P308 + P313 - IF exposed or concerned: Get medical attention.</li> <li>P304 + P340 + P311 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or physician.</li> <li>P301 + P310 + P330 - IF SWALLOWED: Immediately call a POISON CENTER or physician. Rinse mouth.</li> <li>P302 + P352 + P362+P364 - IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse.</li> <li>P332 + P313 - If skin irritation occurs: Get medical attention.</li> <li>P305 + P351 + P338 + P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.</li> </ul>
Storage	: P405 - Store locked up.
Disposal	: P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
Hazards not otherwise classified	: None known.

### Section 3. Composition/information on ingredients

Substance/mixture	: Mixture
Chemical name	: Abamectin
Other means of	: Not available.
identification	

Ingredient name	%	CAS number
N,N-dimethyldecan-1-amide	≥10 - ≤25	14433-76-2
N,N-dimethyloctanamide	≥10 - ≤25	1118-92-9
Benzenesulfonic acid, C10-16-alkyl derivs., compds. with 2-propanamine	≥10 - ≤25	68584-24-7
Abamectin	≥1 - ≤2.8	71751-41-2
2,6-Di-tert-Butyl-p-cresol	≥1 - ≤3	128-37-0
Benzene, C10-16-alkyl derivs.	≥0.3 - <1	68648-87-3

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

Description of necessar	v first aid measures
Eye contact	: Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 20 minutes. Chemical burns must be treated promptly by a physician.
Inhalation	: Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	: Get medical attention immediately. Call a poison center or physician. Flush contaminated skin with plenty of water. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 20 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
	ns/effects, acute and delayed
Potential acute health	
Eye contact	: Causes serious eye damage.

- Inhalation : Toxic if inhaled. May cause respiratory irritation.
- Skin contact : Causes skin irritation.

#### Ingestion : Toxic if swallowed.

#### **Over-exposure signs/symptoms**

Eye contact	: Adverse symptoms may include the following: pain watering redness
Inhalation	: Adverse symptoms may include the following: respiratory tract irritation coughing reduced fetal weight increase in fetal deaths skeletal malformations

### Section 4. First aid measures

Skin contact	: Adverse symptoms may include the following: pain or irritation redness blistering may occur reduced fetal weight increase in fetal deaths skeletal malformations
Ingestion	: Adverse symptoms may include the following: stomach pains reduced fetal weight increase in fetal deaths skeletal malformations
Indication of immediate med	dical attention and special treatment needed, if necessary
Notes to physician	<ul> <li>In case of inhalation of decomposition products in a fire, symptoms may be delayed.</li> <li>The exposed person may need to be kept under medical surveillance for 48 hours.</li> </ul>
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

### Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst. This material is very toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides
Special protective actions for fire-fighters	<ul> <li>Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.</li> </ul>
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

### Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.

#### Methods and materials for containment and cleaning up

Spill: Stop leak if without risk. Move containers from spill area. Approach release from<br/>upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash<br/>spillages into an effluent treatment plant or proceed as follows. Contain and collect<br/>spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or<br/>diatomaceous earth and place in container for disposal according to local regulations<br/>(see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated<br/>absorbent material may pose the same hazard as the spilled product. Note: see Section<br/>1 for emergency contact information and Section 13 for waste disposal.

### Section 7. Handling and storage

#### Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Avoid release to the environment. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures. Remove contaminated clothing and protective equipment before entering eating areas.
Conditions for safe storage, including any incompatibilities	: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### Section 8. Exposure controls/personal protection

#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name	Exposure limits
N,N-dimethyldecan-1-amide N,N-dimethyloctanamide Benzenesulfonic acid, C10-16-alkyl derivs., compds. with 2-propanamine Abamectin 2,6-Di-tert-Butyl-p-cresol	None. None. None. NIOSH REL (United States, 10/2016). TWA: 10 mg/m <sup>3</sup> 10 hours. ACGIH TLV (United States, 3/2017). TWA: 2 mg/m <sup>3</sup> 8 hours. Form: Inhalable fraction and vapor
Benzene, C10-16-alkyl derivs.	None.

Appropriate engineering controls	:	Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.
Individual protection measure	<u>es</u>	
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/ or face shield. If inhalation hazards exist, a full-face respirator may be required instead.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is

	worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the
	glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
protection	. Porsonal protective equipment for the body should be selected based on the task being

**Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.



### Section 9. Physical and chemical properties

#### Appearance

Appearance		
Physical state	1	Liquid.
Color	1	Yellow, Gardner 4
Odor	1	Strongly bitter.
Odor threshold	4	Not available.
рН	4	4.65 [Conc. (% w/w): 1%] (corrected to 25°C)
Melting point	4	Not available.
Boiling point	4	Not available.
Flash point	4	Not available.
Evaporation rate	4	Not available.
Flammability (solid, gas)	4	Not available.
Lower and upper explosive (flammable) limits	1	Not available.
Vapor pressure	1	Not available.
Vapor density	1	Not available.
Relative density	1	0.980 g/cm3 (8.18 pounds/gallon) at 25 °C 0.972 g/cm3 (8.11 pounds/gallon) at 39 °C
Solubility	4	Not available.
Partition coefficient: n- octanol/water	1	Not available.
Auto-ignition temperature	4	Not available.
Decomposition temperature	4	Not available.
Viscosity	4	Dynamic: 29.2 mPa⋅s (29.2 cP) at 25°C, 16.8 cP at 39 °C
Flow time (ISO 2431)	4	Not available.

## Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: Reactive or incompatible with the following materials: oxidizing materials.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.



### Section 11. Toxicological information

#### Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Abamectin	LC50 Inhalation Vapor	Rat	1100 mg/m³	4 hours
	LD50 Oral		1.5 mg/kg	-
2,6-Di-tert-Butyl-p-cresol	LD50 Oral	Rat	890 mg/kg	-

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
	Eyes - Moderate irritant Skin - Moderate irritant Eyes - Mild irritant Skin - Severe irritant	Rabbit Rabbit Rabbit Rabbit	-	24 hours 100 mg 48 hours 500 mg 24 hours 100 µl 24 hours 500 µl	

#### **Sensitization**

There is no data available.

#### **Mutagenicity**

There is no data available.

#### **Carcinogenicity**

#### **Classification**

Product/ingredient name	OSHA	IARC	NTP
2,6-Di-tert-Butyl-p-cresol	-	3	-

#### **Reproductive toxicity**

There is no data available.

#### **Teratogenicity**

There is no data available.

#### Specific target organ toxicity (single exposure)

Name	Category	Target organs
N,N-dimethyldecan-1-amide	Category 3	Respiratory tract irritation

#### Specific target organ toxicity (repeated exposure)

Name	Category	Target organs
Abamectin	Category 1	nervous system

#### **Aspiration hazard**

There is no data available.

Information on the likely	Dermal contact. Eye contact. Inhalation. Ingestion.
---------------------------	---

routes of exposure

Potential acute health effects		
Eye contact	1	Causes serious eye damage.
Inhalation	1	Toxic if inhaled. May cause respiratory irritation.

- Skin contact : Causes skin irritation.
- : Toxic if swallowed. Ingestion

#### Symptoms related to the physical, chemical and toxicological characteristics



## Section 11. Toxicological information

	-
Eye contact	Adverse symptoms may include the following: pain watering redness
Inhalation	: Adverse symptoms may include the following: respiratory tract irritation coughing reduced fetal weight increase in fetal deaths skeletal malformations
Skin contact	Adverse symptoms may include the following: pain or irritation redness blistering may occur reduced fetal weight increase in fetal deaths skeletal malformations
Ingestion	: Adverse symptoms may include the following: stomach pains reduced fetal weight increase in fetal deaths skeletal malformations

Delayed and immediate effec	ts a	and also chronic effects from short and long term exposure
<u>Short term exposure</u>		
Potential immediate effects	1	No known significant effects or critical hazards.
Potential delayed effects	1	No known significant effects or critical hazards.
<u>Long term exposure</u>		
Potential immediate effects	1	No known significant effects or critical hazards.
Potential delayed effects	1	No known significant effects or critical hazards.
Potential chronic health effe	ect	<u>5</u>
General	1	May cause damage to organs through prolonged or repeated exposure.
Carcinogenicity	1	No known significant effects or critical hazards.
Mutagenicity	1	No known significant effects or critical hazards.
Teratogenicity	1	Suspected of damaging the unborn child.
<b>Developmental effects</b>	1	No known significant effects or critical hazards.
Fertility effects	1	No known significant effects or critical hazards.

#### Numerical measures of toxicity

#### Acute toxicity estimates

Route	ATE value
Oral	276.7 mg/kg
Inhalation (vapors)	3.037 mg/L

## Section 12. Ecological information

#### <u>Toxicity</u>

Product/ingredient name	Result	Species	Exposure
N,N-dimethyldecan-1-amide	Acute EC50 5 ppm Fresh water	Algae - Pseudokirchneriella subcapitata	72 hours
	Acute LC50 21 ppm Fresh water	Fish - Oncorhynchus mykiss	96 hours
Abamectin	Acute EC50 7.3096 mg/L Fresh water	Algae - Scenedesmus acutus var. acutus	96 hours
	Acute EC50 4.4 mg/L Fresh water	Algae - Scenedesmus subspicatus	72 hours
	Acute EC50 0.00027 mg/L Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 3.6 ppb Fresh water	Fish - Oncorhynchus mykiss	96 hours
	Chronic EC10 0.71 mg/L Fresh water	Algae - Scenedesmus subspicatus	72 hours
2,6-Di-tert-Butyl-p-cresol	Chronic NOEC 0.0047 µg/L Fresh water	Daphnia - Daphnia magna - Neonate	21 days
	Acute EC50 1440 µg/L Fresh water	Daphnia - Daphnia pulex - Neonate	48 hours

#### Persistence and degradability

There is no data available.

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
N,N-dimethyldecan-1-amide	3.44	-	low
2,6-Di-tert-Butyl-p-cresol	5.1	330 to 1800	high

#### Mobility in soil

Soil/water partition	: Not available.
coefficient (Koc)	

#### Other adverse effects : No known significant effects or critical hazards.

### Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

### Section 14. Transport information

	DOT Classification	IMDG	ΙΑΤΑ
UN number	UN2902	UN2902	UN2902
UN proper shipping name	PESTICIDE, LIQUID, TOXIC, N.O.S. (Abamectin)	PESTICIDE, LIQUID, TOXIC, N.O.S. (Abamectin). Marine pollutant (Abamectin, 2,6-Di-tert-Butyl-p-cresol)	PESTICIDE, LIQUID, TOXIC, N.O.S. (Abamectin)
Transport hazard class(es)	6.1	6.1	6.1



## Section 14. Transport information

Packing group	111	111	
Environmental hazards	No.	Yes.	Yes. The environmentally hazardous substance mark is not required.

**AERG :** 151

Additional information		
IMDG	:	The marine pollutant mark is not required when transported in sizes of $\leq$ 5 L or $\leq$ 5 kg. Emergency schedules F-A, S-A
ΙΑΤΑ	:	The environmentally hazardous substance mark may appear if required by other transportation regulations.
Special precautions for user	:	<b>Transport within user's premises:</b> always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

## Section 15. Regulatory information

U.S. Federal regulations	: United States inventory (TSCA 8b): Not determined.
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	: Not listed
Clean Air Act Section 602 Class I Substances	: Not listed
Clean Air Act Section 602 Class II Substances	: Not listed
DEA List I Chemicals (Precursor Chemicals)	: Not listed
DEA List II Chemicals (Essential Chemicals)	: Not listed
<u>SARA 302/304</u>	
Composition/information	on ingredients
No products were found.	
SARA 304 RQ	: Not applicable.
<u>SARA 311/312</u>	
Classification	: ACUTE TOXICITY (oral) - Category 3 ACUTE TOXICITY (inhalation) - Category 3 SKIN CORROSION/IRRITATION - Category 2 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1 TOXIC TO REPRODUCTION (Unborn child) - Category 2 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) (nervous system) - Category 2
Composition/information	on ingredients

## Section 15. Regulatory information

Name	Classification
N,N-dimethyldecan-1-amide	SKIN CORROSION/IRRITATION - Category 2
	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A
	SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract
	irritation) - Category 3
N,N-dimethyloctanamide	SKIN CORROSION/IRRITATION - Category 2
	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1
Benzenesulfonic acid, C10-16-alkyl derivs., compds. with	ACUTE TOXICITY (oral) - Category 4
2-propanamine	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A
Abamectin	ACUTE TOXICITY (oral) - Category 2
	ACUTE TOXICITY (inhalation) - Category 1
	TOXIC TO REPRODUCTION (Unborn child) - Category 2
	SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) (nervous
	system) - Category 1
2,6-Di-tert-Butyl-p-cresol	ACUTE TOXICITY (oral) - Category 4
	SKIN CORROSION/IRRITATION - Category 2
	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A

#### SARA 313

	Product name	CAS number
Form R - Reporting requirements	Abamectin	71751-41-2
Supplier notification	Abamectin	71751-41-2

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

#### State regulations

Massachusetts	: The following components are listed: 2,6-Di-tert-Butyl-p-cresol
New York	: None of the components are listed.
New Jersey	<ul> <li>The following components are listed: 2,6-Di-tert-Butyl-p-cresol; Abamectin; Propane-1, 2-diol</li> </ul>
Pennsylvania	: The following components are listed: 2,6-Di-tert-Butyl-p-cresol; Propane-1,2-diol
California Prop. 65	

**WARNING**: This product can expose you to Abamectin, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

### Section 16. Other information

Procedure used to derive the classification

Classification	Justification
ACUTE TOXICITY (oral) - Category 3	Calculation method
ACUTE TOXICITY (inhalation) - Category 3	Calculation method
SKIN CORROSION/IRRITATION - Category 2	Calculation method
SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1	Calculation method
TOXIC TO REPRODUCTION (Unborn child) - Category 2	Calculation method
SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3	Calculation method
SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) (nervous system) - Category 2	Calculation method
AQUATIC HAZARD (ACUTE) - Category 1	Calculation method
AQUATIC HAZARD (LONG-TERM) - Category 1	Calculation method

#### **History**

Date of issue mm/dd/yyyy	: 08/30/2018
Date of previous issue	: 01/30/2017
Version	: 2

### Section 16. Other information

#### **Prepared by**

: KMK Regulatory Services Inc.

Notice to reader To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.